


TEXTILES

Técnicos & Decorativos

IRUÑA *TEX*






Color 29

ANTHE


BLACKOUT



Color 16



Color 05



Color 19



Color 25



Color 22



Color 29

DESIGN: TBURBES 980

DATE: 29.11.2023
REPORT NO: 3331**CERTIFIED**

PREPARED BY	APPROVED
KÜBRA ÜNLÜ PHYSICS LABORATORY	FULYA TUNALI LABORATORY CHIEF

DESIGN: TBURBES 980

DATE: 29.11.2023
REPORT NO: 3331

PROPIEDADES TÉCNICAS	
DISEÑO	ANTHE TBURBES 872
ANCHO TEJIDO (CM)	300
PESO (GR/M ²)(ISO 3801)	460 ±%5
COMPOSICIÓN	FABRIC: %54 ACRYLIC COATING : %46
"RESISTENCIA A LA TENSIÓN (URDIMBRE/TRAMA) " (EN ISO 13934-1)	WARP FORCE : 2220 ± %10
	WEFT FORCE : 1660 ± %10
"RESISTENCIA AL DESGARRO (URDIMBRE/TRAMA) " (EN ISO ISO 13937-3)	WARP: 80 ± %10
	WEFT: 70 ± %10
ESPESOR (mm) (EN ISO 5084)	0,47 ± % 10

DISEÑO	COLOR	"LIGHT FAST-NESS"
TBURBES 980	16	6+
TBURBES 980	19	6+
TBURBES 980	22	6
TBURBES 980	05	6
TBURBES 980	25	6
TBURBES 980	29	6+

PREPARED BY	APPROVED
KÜBRA ÜNLÜ PHYSICS LABORATORY	FULYA TUNALI LABORATORY CHIEF